

versitle and durable tile for any application **FORM MEETS FUNCTION** A revolutionary tile that combines a striking, eye-catching design with unmatched functionality.

FOR SAMPLES, VISIT SWISSTRAX.COM OR CALL 866-748-7940 Colors shown on this sheet are as accurate as printing will allow. Images shown are not to scale.



82-579 Fleming Way, Unit A, Indio, CA 92201 | swisstrax.com | 866-748-7940



### **DESCRIPTION**

*FORM MEETS FUNCTION.* Ribtrax<sup>®</sup> is a revolutionary tile that combines a striking, eye-catching design with unmatched functionality. It is the most versatile and durable tile style in our collection. It's never been easier to transform your showroom, garage, trade show booth or event floor with a premium, commercial grade modular flooring solution.

#### **BENEFITS**

## SUPERIOR STRENGTH

3/4" thick and features a compressive strength of 3,120 psi and 70,000 lbs of rollover weight.



(2)

A safe solution to moisture.



#### RAIN OR SHINE

**NON-SLIP** 

UV Stabilizer mixed into the material as well as the color pigments, making them highly fade resistant.

## **DO IT YOURSELF**


Quick install in hours not days. Low maintenance, hassle free cleaning.

# 

**SILENT STEP** No click-clack.


## **VIDEO LINK**

CLICK HERE TO LEARN MORE - (https://youtu.be/6c8LGmLdKBI)



### FOR SAMPLES, VISIT SWISSTRAX.COM OR CALL 866-748-7940

Colors shown on this sheet are as accurate as printing will allow. Images shown are not to scale.



CHEMICAL RESISTANT

Resistant to oil, gas, acid or solvents including Skydrol and Alkalis.



 $( \triangleq)$ 

## HEAT RESISTANT

Temperature Tolerances: -22 °F to + 248 °F.

## **CONSTRUCTION**

Open profile, ribbed design with 1/4" built in, self-draining channeling system.



Choose from 19 different color options. Interlock with other 15.75" Swisstrax tiles.


**100** 

**100% RECYCLABLE** 100% sustainable.





**DIMENSIONS** 





**TRANSITION & EDGE OPTIONS & COLORS** 

PACKAGING:	25 TILES (43 SQFT) PER BOX	TOOLS:
CHANNELING SYSTEM:	.25 INCH	RECYCL
CABLE ROUTING:	UPGRADE AVAILABLE	PROFIL
CUTTING:	FINE TOOTH BLADE	CLEANI
WARRANTY:	LIFETIME LIMITED WARRANTY	
FIRE RATING:	HORIZONTAL BURN RATING	MATERI

TOOLS: RECYCLABLE: PROFILE: CLEANING: MATERIAL:

NO EXTRA TOOLS REQUIRED YES OPEN .125 INCH PERFORATION YARD BLOWER, PRESSURE HOSE, SHOP VAC, MOP 100% UV STABILIZED VIRGIN POLYPROPYLENE

1.35 lbs 21.6 oz



#### FOR SAMPLES, VISIT SWISSTRAX.COM OR CALL 866-748-7940

Colors shown on this sheet are as accurate as printing will allow. Images shown are not to scale.

