

# Vinyltrax®



### FOR SAMPLES, VISIT SWISSTRAX.COM OR CALL 866-748-7940

Colors shown on this sheet are as accurate as printing will allow. Images shown are not to scale.





#### **DESCRIPTION**

SLEEK. BOLD. DURABLE. Vinyltrax® offers realistic hardwood grains and patterns with legendary Swisstrax performance. It's never been easier to transform your showroom, garage, trade show booth or event floor with a premium, commercial grade vinyl flooring solution.

#### **BENEFITS**



## **SUPERIOR STRENGTH**

3/4" thick and feature a compressive strength of 1,250 psi or 25,000 lbs of rollover weight.



#### **DO IT YOURSELF**

Quick install in hours not days. Low maintenance, hassle free cleaning.



#### SILENT STEP

No click-clack.



### **CHEMICAL RESISTANT**

Resistant to oil, gas, acid or solvents including Skydrol and Alkalis.





#### **CONSTRUCTION**

Patented base design with 1/4" built in support system that also maximizes airflow. Closed profile "peel and stick" commercial grade vinyl inlay can easily be replaced.



#### VARIETY

Choose from more than 10 standard woodgrains, patterns and surface appearances. Interlock with other 15.75" Swisstrax tiles.

#### **VIDEO LINK**

CLICK HERE TO LEARN MORE - (https://youtu.be/M1YqcSaJ\_ll)

#### **COLORS**



**POLISHED** CONCRETE



BI ACK OAK



LIGHT MAPLE



**ASH PINE** 



RECLAIMED CARBON **PINE** 





**FIBER** 





#### **DIMENSIONS**





PACKAGING: 17 TILES (29.24 SQFT) PER BOX

WEAR LAYER: 0.5MM VINYL THICKNESS: 3 MM

**CABLE ROUTING: UPGRADE AVAILABLE** 

**CUTTING:** FINE TOOTH BLADE

WARRANTY: 15 YEARS **CLEANING:** MOP WITH MILD CLEANSER FIRE RATING: HORIZONTAL BURN RATING TOOLS: NO EXTRA TOOLS REQUIRED

MATERIAL: 100% UV STABILIZED

VIRGIN POLYPROPYLENE

REPLACEABLE: YES

#### **TRANSITION & EDGE OPTIONS**

ADDITIONAL COLOR OPTIONS AVAILABLE



**PEGGED** 




LOOPED



**CORNER** 


#### **VINYL INLAY ASSEMBLY OPTIONS**



**OPTION A:** One Direction



OPTION A: One Direction Hardwood grain is unision in one direction.



OPTION B: Quarter Flip





**OPTION A:** Quarter Flip Hardwood grain alternates 90 degrees.

\*Special order only. Extra fees may apply.

#### FOR SAMPLES, VISIT SWISSTRAX.COM OR CALL 866-748-7940

Colors shown on this sheet are as accurate as printing will allow. Images shown are not to scale.

